

**NOTICE AND AGENDA
STREET / MAINTENANCE COMMITTEE
REGULAR MEETING
TUESDAY, MAY 24TH, 2016
6:00 P.M.**

AS REQUIRED BY THE OKLAHOMA OPEN MEETING ACT NOTICE IS HEREBY GIVEN THAT THE STREET COMMITTEE WILL MEET IN REGULAR SESSION IN THE COUNCIL CHAMBER, 12 NORTH ROWE STREET, PRYOR, OKLAHOMA AT THE ABOVE DATE AND TIME. FOR SPECIAL ACCOMMODATIONS TO ATTEND, PLEASE CONTACT (918) 825-0888.

COMMITTEE MEMBERS: **ROGER WILLCUTT, YOLANDA THOMPSON, DREW STOTT (ALTERNATE)

1. Call meeting to order.
2. Discuss, possibly approve the minutes of April 26th, 2016 regular meeting.
3. Discuss and possibly recommend Council action on repair of Street Sweeper not to exceed \$7,000.00 to Big Cabin Diesel. Quote attached.
4. Discuss and possibly recommend Council action on replacement of (5) five foot brush hog from Kubota Center in the amount of \$2,768.00 (gear case 130 hp). Other quotes received: P&K Equipment in the amount of \$2,206.82 (gear case 90 hp) and Chupp Implement Company in the amount of \$2,937.30 (gear case 130 hp).
5. Street Superintendent Report:
 - a. Drainage Issues.
 - b. Current projects.
 - c. Completed projects.
 - d. Future projects.
 - e. Tree trimming.
6. Petitions from the audience.
7. Unforeseeable business. (Any matter not foreseeable prior to posting the agenda.)
8. Adjourn.

POSTED MAY 23RD, 2016, BY CITY CLERK EVA SMITH

Eva Smith



**MINUTES
STREET / MAINTENANCE COMMITTEE
REGULAR MEETING
TUESDAY, APRIL 26TH, 2016
6:00 P.M.**

THE STREET COMMITTEE MET IN REGULAR SESSION IN THE COUNCIL CHAMBER, 12 NORTH ROWE STREET, PRYOR, OKLAHOMA AT THE ABOVE MENTIONED DATE AND TIME.

COMMITTEE MEMBERS: ** ROGER WILLCUTT, YOLANDA THOMPSON, HOUSTON BRITTAIN, DREW STOTT (ALTERNATE)

1. CALL MEETING TO ORDER.

The meeting was called to order at 6:00 p.m. by Chairman Roger Willcutt. Members present: Roger Willcutt, Yolanda Thompson, and Houston Brittain. Members absent: none.

Others present: Mayor Jimmy Tramel, Street Superintendent Jack Downing, Assistant Street Superintendent Buddy Glenn, Infrastructure Solutions Group Engineer Steve Powell, Street / Maintenance Committee alternate Drew Stott and Terry Aylward.

2. DISCUSS, POSSIBLY APPROVE THE MINUTES OF JANUARY 26TH, 2016 REGULAR MEETING.

Motion was made by Brittain, second by Thompson to approve the minutes of January 26th, 2016 regular meeting. All voted yes.

3. REVIEW, DISCUSS AND POSSIBLY MAKE RECOMMENDATIONS TO COUNCIL ON CONCRETE STREET REPAIR PROJECT.

Motion was made by Brittain, second by Thompson to make recommendations to Council on concrete street repair project. Per Steve Powell, the lowest bid was from Cherokee Pride, who also came with excellent references. All voted yes.

4. DISCUSS, POSSIBLY APPROVE STREET SUPERINTENDENT TO BEGIN BID PROCESS FOR MOWING OF RIGHT OF WAYS FOR THE CITY OF PRYOR CREEK.

Motion was made by Brittain, second by Thompson to approve Street Superintendent to begin bid process for mowing of right of ways for the City of Pryor Creek. All voted yes.

5. DISCUSS, POSSIBLY APPROVE PURCHASE OF PRESSURE WASHER. QUOTES ATTACHED.

Motion was made by Thompson, second by Brittain to approve purchase of pressure washer from Pryor Automotive. All voted yes.

6. STREET SUPERINTENDENT REPORT:

- a. Drainage Issues.

There was no report.

- b. Current projects.

There was no report.

- c. Completed projects.

There was no report.

- d. Future projects.

There was no report.

e. Tree trimming.

There was no report.

7. PETITIONS FROM THE AUDIENCE.

Willcutt stated that Dinsmore's 18-wheelers use Dog Pound Road too much and are tearing it up. Mayor says we can put signage up regarding weight restrictions, or to read, "No Thru Trucks." Mayor will check into this issue. No action was taken.

8. UNFORESEEABLE BUSINESS. (ANY MATTER NOT FORESEEABLE PRIOR TO POSTING THE AGENDA.)

There was no unforeseeable business.

9. ADJOURN.

Motion was made by Thompson, second by Brittain to adjourn at 6:25. All voted yes.

Quote

TRO72125

CABIN DIESEL SERVICES, INC.

32046 SOUTH HWY 69
 BIG CABIN, OK 74332
 Phone: 918-783-5159
 Fax: 918-783-5529

Page 1 of 2

Quote: 2455
 Customer: 1627-CH
 Warehouse: Cabin
 Open Date: 05/18/2016

Bill To: CITY OF PRYOR CREEK
 STREET DEPARTMENT
 P.O. BOX 1167
 PRYOR, OK 74362

Ship To: CITY OF PRYOR CREEK
 STREET DEPARTMENT
 P.O. BOX 1167
 PRYOR, OK 74362

Phone: 918-825-1192

Fax:

Customer P/O:

Unit Number: 18
Meter Reading:
Meter Type:

Year: 2002
Manufacturer: FREIGHTLINER
Model: FC-70 SWEEPER
VIN: 1FVAB3BV12DK96087

Unit Components:

Manufacturer	Model	Description	Serial Number
CUMMINS	ISB	ENGINE	46175612
ALI	2000	TRANSMISSION	6310174317
TDA	FF-961	FRONT AXLE FORWARD	AVF02006673
TDA RATIO 5.86	RS-21-230	REAR AXLE REAR	AVA02007154

Job 1: 91810-300 ECM DIAG Department: SERVICE

Supplier/Emp	Part	Description/Reference	Unit of Measure	Quantity	Price	Extended Price
0124	ABP N122 R50418	PRIMARY FUEL FILTER WATE	EA	1.00	\$28.64	\$28.64
0124-T	FG FS19855	FUEL FILTER	EA	1.00	\$13.01	\$13.01
0317	3682826	SEAL, GROMMET	EA	1.00	\$2.01	\$2.01
0317	3963983	SEAL WASHER	EA	2.00	\$2.27	\$4.54
0317	3963988	SEALING WASHER	EA	1.00	\$3.88	\$3.88
0317	3963990	WASHER, SEALING	EA	7.00	\$3.15	\$22.05
0317	4943048	FUEL TRANSFER PUMP	EA	1.00	\$240.44	\$240.44
0317-C	3964555RX	INJ. PUMP	EA	1.00	\$2,435.51	\$2,435.51
0317-C	3964555RX-C	INJ. PUMP (CORE)	RET EA	-1.00	\$975.00	-\$975.00
0317-C	3964555RX-C	INJ. PUMP (CORE)	CHG EA	1.00	\$975.00	\$975.00
FREIGHT	FREIGHT	FREIGHT	EA	1.00	\$38.00	\$38.00
SUBLT	SUBLET	UNFORSEEN SEALS	EA	1.00	\$50.00	\$50.00
		Labor Summary		30.00	\$110.00	\$3,300.00

Job 2: 93101-300 CHECK AIR SYSTEM Department: SERVICE

Supplier/Emp	Part	Description/Reference	Unit of Measure	Quantity	Price	Extended Price
0124	PH 209P 4 2	1/8-1/4 BUSHING	EA	1.00	\$1.20	\$1.20
1929	1658820C1	LOW PRESSURE SWITCH	EA	1.00	\$47.79	\$47.79
		Labor Summary		1.25	\$110.00	\$137.50

CABIN DIESEL SERVICES, INC.32046 SOUTH HWY 69
BIG CABIN, OK 74332Phone: 918-783-5159
Fax: 918-783-5529

Page 2 of 2

Quote: 2455
Customer: 1627-CHG
Warehouse: Cabin
Open Date: 05/18/2016

Quote Totals:	Total Parts:	\$2,799.07
	Total Core Charges:	\$975.00
	Total Core Returns:	-\$975.00
	Total Labor:	\$3,437.50
	Total Miscellaneous:	\$88.00
	Total Shop Supplies:	\$275.00
	Total Environmental Charge:	\$0.00
	Total Sales Tax:	\$0.00
	Quote 2455 Total:	\$6,599.57

Sale Type: CHARGE ACCOUNT

!! - Indicates non-returnable parts.

Quotes are good for 30 days only.

All quotes are estimates only, actual price may vary.

Customer signature of the quote will indicate authorization to proceed.

The only warranty applying to the parts and service provided as per this repair order are those which may be offered by the manufacturers of the parts used by CABIN DIESEL SERVICES, INC. hereby expressly disclaims all warranties, either expressed or implied, any implied warranties of merchantability for fitness for a particular purpose, neither assumes nor not or authorizes any other person to assume for it any liability in connection with the sale of parts and/or service. The customer is not entitled to recover from CABIN DIESEL SERVICES, INC. any consequential damages, damages to property, damages to loss of use, loss of time, loss of profits or income or any other incidental damages. CABIN DIESEL SERVICES, INC will not be held responsible for loss or damage to vehicle or articles left in vehicle in case of fire, theft, accident or any other cause beyond your control.

 Signed by (please sign and print)

RCF27 Series - Medium Duty

RETURN TO INDEX

Cutters

60/72: 35-130 HP • 84: 60-130 HP



Hitch: 60" & 72" Cat. 1* or 2 (QH Adaptable)
 84": Cat. 2 Std. or Cat. 3 QH Adaptable or Pull-Type
 All Welded Deck
 Deck Height:
 60" & 72" is 11¹/₄"
 84" is 10¹/₈"
 Deck Thickness: 10 Gauge
 Side Panels: 1/4"

Gearbox: 540 RPM, 130 HP
 1³/₈" - 6 Spline
 Gearbox Output Shaft: 2"
 Driveline: Cat. 4 with
 4 Plate Slip-Clutch
 Stump Jumper: 60" - 3/16" x 24" Round
 72" - 3/16" x 30¹/₂" Round
 84" - 3/16" x 24" x 38" Oval
 Blades: Free Swinging High Suction
 60" - 1/2" x 4" x 25"
 72" - 1/2" x 4" x 29"
 84" - 1/2" x 4" x 31"
 Blade Bolt: Keyed with Hardened
 Flat Washer & Lock Nut
 Blade Tip Speed:
 60" - 12,384 fpm
 72" - 14,861 fpm
 84" - 14,369 fpm
 Tailwheel(s): 15" Laminated, with Cast
 Iron Hub, Tapered Roller Bearings
 Cutting Height: 1¹/₂" - 12"
 Cutting Capacity: 3"
 Skids: Replaceable
 Front and Rear Guards Available

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
RCF2760	27 SERIES - 60" ROTARY CUTTER	864#	944#	\$ 2,989
	Choose Front and Rear Guarding			
-01	Front Chain Guard (326-302A)	39#	39#	\$ 201
-02	Front Rubber Guard (326-303A)	24#	24#	\$ 147
-41	Rear Chain Guard (326-281A)	52#	52#	\$ 236
RCF2772	27 SERIES - 72" ROTARY CUTTER	967#	1,047#	\$ 3,404
	Choose Front and Rear Guarding			
-01	Front Chain Guard (326-306A)	46#	46#	\$ 234
-02	Front Rubber Guard (326-307A)	28#	28#	\$ 161
-41	Rear Chain Guard (326-242A)	59#	59#	\$ 271
RCF2784	27 SERIES - 84" ROTARY CUTTER	989#	1,069#	\$ 3,847
	Choose Front Guarding			
-01	Front Chain Guards (312-869A)	41#	41#	\$ 266
-02	Front Rubber Guard (312-866A)	25#	25#	\$ 174
	You Must Choose One for RCF2784			
-11	3 Point with Single 15" Laminated Tire	262#	262#	\$ 765
-14	3 Point with Dual 15" Laminated Tires	335#	335#	\$ 1,159
-12	Pull-Type with 21" Laminated Tires	500#	500#	\$ 2,376
	You Must Choose One for Pull-Type RCF2784			
-21	Ratchet Height Adjustment	15#	15#	\$ 209
-22	Hydraulic Type Adjustment	40#	40#	\$ 404
	Choose Rear Guarding			
-41	Rear Chain Guards (326-219A)	62#	62#	\$ 291
	COLOR OPTION			
-81	Green			
-82	Orange			
-83	Red			
	Available Through Parts Dept. Only			
326-607A	*Requires Top 3 Pt Cat 2/Cat 1 Conversion Kit			



WARNING!
 Rotary Cutters used in non-agricultural areas must be equipped with front & rear guards. The possibility of thrown objects can be hazardous to persons or property.

Gearbox HP rating is based on in field use and performance



ALL PURCHASE ORDERS MUST BE MADE OUT TO (VENDOR):

Deere & Company
2000 John Deere Run
Cary, NC 27513
FED ID: 36-2382580; DUNS#: 60-7690989

ALL PURCHASE ORDERS MUST BE SENT TO DELIVERING DEALER:

P & K Equipment, Inc.
4385 W. 520
Pryor, OK 74361
918-824-8541
pryor@pkequipment.com

Quote Summary

Prepared For:

Delivering Dealer:

P & K Equipment, Inc.
Justin Marshall
4385 W. 520
Pryor, OK 74361
Phone: 918-824-8541
jmarshall@pkequipment.com

Quote ID: 13380775
Created On: 18 May 2016
Last Modified On: 18 May 2016
Expiration Date: 31 May 2016

Equipment Summary	Selling Price	Qty	Extended
JOHN DEERE MX5 LIFT-TYPE ROTARY CUTTER	\$ 2,206.82 X	1 =	\$ 2,206.82
Contract: OK Agriculture Trees and Brush Maintenance Equipment SW196			
Price Effective Date: May 18, 2016			

Equipment Total **\$ 2,206.82**

* Includes Fees and Non-contract items

Quote Summary

Equipment Total	\$ 2,206.82
Trade In	
SubTotal	\$ 2,206.82
Total	\$ 2,206.82
Down Payment	(0.00)
Rental Applied	(0.00)
Balance Due	\$ 2,206.82

Salesperson : X _____

Accepted By : X _____



Selling Equipment

Quote Id: 13380775 Customer Name:

ALL PURCHASE ORDERS MUST BE MADE OUT TO (VENDOR):

Deere & Company
2000 John Deere Run
Cary, NC 27513
FED ID: 36-2382580; DUNS#: 60-7690989

ALL PURCHASE ORDERS MUST BE SENT TO DELIVERING DEALER:

P & K Equipment, Inc.
4385 W. 520
Pryor, OK 74361
918-824-8541
pryor@pkequipment.com

JOHN DEERE MX5 LIFT-TYPE ROTARY CUTTER

Hours:

Stock Number:

Contract: OK Agriculture Trees and Brush Maintenance
Equipment SW196

Selling Price *
\$ 2,206.82


Price Effective Date: May 18, 2016

* Price per item - includes Fees and Non-contract items

Code	Description	Qty	List Price	Discount%	Discount Amount	Contract Price	Extended Contract Price
2134P	MX5 Lift-Type Rotary Cutter - 540 RPM PTO	1	\$ 2,866.00	23.00	\$ 659.18	\$ 2,206.82	\$ 2,206.82
Suggested Price							\$ 2,206.82
Total Selling Price			\$ 2,866.00		\$ 659.18	\$ 2,206.82	\$ 2,206.82

Specifications:	
Manufacturer	John Deere
MODEL	MX5
SERIAL NUMBERS	---
Capacity	
Cutting width	1,524 mm 60 in.
Cutting height	25 to 241 mm 1 to 9.5 in.
Cutting capacity (diameter)	51 mm 2 in.
Cutting chamber Depth	216 mm 8.5 in.
Tractor compatibility	
Tractor PTO HP range	Minimum 19 kW 25 hp
Tractor PTO	540 rpm
Hitch	
Type	Lift-type
Category	1; or convert to 2
Dimensions	
Transport width	1,651 mm 65 in.
Overall width	1,651 mm 65 in.
Overall length	2,591 mm 102 in.
Deck shape	Domed
Deck type	Double decker
Deck thickness	---
Upper	3 (11) mm 0.118 (11) in.
Lower	3 (11) mm 0.118 (11) in.
Side skirt thickness	0.25 (3) in. 6 (3) mm
Approx. weight	374 kg 823 lb
Drivelines	
Size	---
Main	ASAE Category 3
Connecting	---
Protection	---
Main	Slip-clutch driveline
Connecting	---
Gearcases	
Number	1
HP rating	---
Transfer	---
Center	Continuous 56 kW 75 hp Peak 67 kW 90 hp
Outer	---

Blades	
Thickness	13 mm 0.5 in.
Width	102 mm 4 in.
Type	Suction
Overlap	---
Blade tip speed	---
540 RPM	4,304 m/min 14,121 fpm 258 km/h 160 mph
1000 RPM	---
Material flow system	Max flow
Holder	---
Type	Round stump jumper
Wheels	
Type	Puncture proof laminated
Row width adjustment	---
Shielding	
Front	Chain
Rear	Chain



To The City of Pryor

Here is the quote you requested

Rhino 260 5' cutter with chains front and rear \$2,937.30

If you have any questions, please give me a call.

Thanks,

Tim McCrate

Chupp Implement Company

(918) 825-2044

Bush Hog® BH20 Series Single Spindle Rotary Cutters

BUSH HOG® FEATURES
Fabricated Deck
Floating A Frame Hitch
Formed Strongbacks
Powder Coat Paint



MODELS	BH25	BH26	BH27
Cutting Width	5 feet	6 feet	7 feet
Cutting Capacity	3 inch diameter	3 inch diameter	3 inch diameter
Cutting Height	11/2 to 101/2 inches	11/2 to 101/2 inches	11/2 to 101/2 inches
Dimensions (transport width x length)	5 ft 6 inches x 8 ft 8 inches	6 ft 6 inches x 9 ft 8 inches	7 ft 6 inches x 10 ft 8 inches (single wheels) 10 ft 1 inch (double wheels)
Type Hitch	3 Point Cat. I, Cat. II Standard & QH	3 Point Cat. I, Cat. II Standard & QH	3 Point Cat. II, Cat. III Standard & QH
Deck Thickness	10 gauge	10 gauge	10 gauge
Sidebands	1/4 x 121/2 inches	1/4 x 121/2 inches	1/4 x 121/2 inches
Driveshaft	ASAE Category 4	ASAE Category 4	ASAE Category 4
Gearbox	130 HP	130 HP	130 HP
Tractor PTO Speed	540 RPM	540 RPM	540 RPM
Driveline Protection	Slip Clutch Standard	Slip Clutch Standard	Slip Clutch Standard
Blade Holder(s)	Round	Round	Round
Blades	1/2 x 4 inch uplift	1/2 x 4 inch uplift	1/2 x 4 inch uplift
Blade Tip Speed	14,600 FPM	15,000 FPM	14,450 FPM
Tires	Single Laminated	Single Laminated	Single or Dual Laminated
Minimum Tractor HP	35 PTO	45 PTO	55 PTO
Safety Shielding	Front and Rear Deflectors or Front and Rear Chains		
Approximate Weight	906 lbs	1095 lbs	1328 lbs
Warranty	1 year limited warranty with a 5 year gearbox limited warranty		

FEATURES

Available in major tractor colors